

ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT Savvy Rest (13103)
ATTN: Gopal Penny
4414 Ivy Commons
Charlottesville, VA 22903

LAB REQUEST 261031
REPORTED 09/14/2010
RECEIVED 09/08/2010

SUBMITTER Client

COMMENTS * Matrix Interference.

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.


1109190
1109191
1109192

Client Sample Identification

Cocolatex Dunlop Latex
Latex International Talalay Latex
Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,


Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 1109190

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Cocolatex Dunlop Latex

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B Volatile Organic Compounds

1,1,1,2-Tetrachloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1,1-Trichloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1,2,2-Tetrachloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1,2-Trichloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1,2-Trichlorotrifluoroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1-Dichloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1-Dichloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1-Dichloropropene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2,3-Trichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2,3-Trichloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2,4-Trichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2,4-Trimethylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dibromo-3-chloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dibromoethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dichloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dichloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,3,5-Trimethylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,3-Dichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,3-Dichloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,4-Dichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
2,2-Dichloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
2-Butanone (MEK)	ND	10	1000.0	ug/Kg	09/09/10 NZ
2-Chloroethyl vinyl ether	ND	10	50.0	ug/Kg	09/09/10 NZ
2-Chlorotoluene	ND	10	50.0	ug/Kg	09/09/10 NZ
4-Chlorotoluene	ND	10	50.0	ug/Kg	09/09/10 NZ
4-Methyl-2-Pentanone (MIBK)	ND	10	50.0	ug/Kg	09/09/10 NZ
Acetone	ND	10	500.0	ug/Kg	09/09/10 NZ
Allyl chloride	ND	10	50.0	ug/Kg	09/09/10 NZ
Benzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromochloromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromodichloromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromoform	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromomethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Carbon tetrachloride	ND	10	50.0	ug/Kg	09/09/10 NZ
Chlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1109190

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Cocolatex Dunlop Latex

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
Chloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Chloroform	ND	10	50.0	ug/Kg	09/09/10 NZ
Chloromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
cis-1,2-Dichloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
cis-1,3-Dichloropropene	ND	10	50.0	ug/Kg	09/09/10 NZ
cis-1,4-Dichloro-2-butene	ND	10	50.0	ug/Kg	09/09/10 NZ
Dibromochloromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Dibromomethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Dichlorodifluoromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Ethyl benzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Hexachlorobutadiene	ND	10	50.0	ug/Kg	09/09/10 NZ
Isopropylbenzene (Cumene)	ND	10	50.0	ug/Kg	09/09/10 NZ
m and p-Xylene	ND	10	50.0	ug/Kg	09/09/10 NZ
Methyl-tert-butylether (MTBE)	ND	10	50.0	ug/Kg	09/09/10 NZ
Methylene chloride	ND	10	50.0	ug/Kg	09/09/10 NZ
n-Butylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
n-Propylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Naphthalene	ND	10	50.0	ug/Kg	09/09/10 NZ
o-Xylene	ND	10	50.0	ug/Kg	09/09/10 NZ
p-Isopropyltoluene	ND	10	50.0	ug/Kg	09/09/10 NZ
sec-Butylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Styrene	ND	10	50.0	ug/Kg	09/09/10 NZ
tert-Butylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Tetrachloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
Toluene	ND	10	50.0	ug/Kg	09/09/10 NZ
trans-1,2-Dichloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
trans-1,3-Dichloropropene	ND	10	50.0	ug/Kg	09/09/10 NZ
trans-1,4-Dichloro-2-butene	ND	10	50.0	ug/Kg	09/09/10 NZ
Trichloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
Trichlorofluoromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Vinyl chloride	ND	10	50.0	ug/Kg	09/09/10 NZ
Xylenes, total	ND	10	50.0	ug/Kg	09/09/10 NZ
Di-isopropyl ether (DIPE)	ND	10	20.0	ug/Kg	09/09/10 NZ
Ethyl-tertbutylether (ETBE)	ND	10	20.0	ug/Kg	09/09/10 NZ
Tert-amylmethylether (TAME)	ND	10	20.0	ug/Kg	09/09/10 NZ
Tertiary butyl alcohol (TBA)	ND	10	100.0	ug/Kg	09/09/10 NZ
Surrogates				Units	Control Limits
Surr1 - Dibromofluoromethane	125			%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1109190

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Cocolatex Dunlop Latex

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
Surr2 - 1,2-Dichloroethane-d4	150*			%	70 - 135
Surr3 - Toluene-d8	117			%	70 - 135
Surr4 - p-Bromofluorobenzene	137*			%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1109191

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Latex International Talalay Latex

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
1,1,1,2-Tetrachloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1,1-Trichloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1,2,2-Tetrachloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1,2-Trichloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1,2-Trichlorotrifluoroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1-Dichloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1-Dichloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,1-Dichloropropene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2,3-Trichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2,3-Trichloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2,4-Trichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2,4-Trimethylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dibromo-3-chloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dibromoethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dichloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,2-Dichloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,3,5-Trimethylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,3-Dichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
1,3-Dichloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
1,4-Dichlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
2,2-Dichloropropane	ND	10	50.0	ug/Kg	09/09/10 NZ
2-Butanone (MEK)	ND	10	1000.0	ug/Kg	09/09/10 NZ
2-Chloroethyl vinyl ether	ND	10	50.0	ug/Kg	09/09/10 NZ
2-Chlorotoluene	ND	10	50.0	ug/Kg	09/09/10 NZ
4-Chlorotoluene	ND	10	50.0	ug/Kg	09/09/10 NZ
4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	ug/Kg	09/09/10 NZ
Acetone	ND	10	500.0	ug/Kg	09/09/10 NZ
Allyl chloride	ND	10	50.0	ug/Kg	09/09/10 NZ
Benzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromochloromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromodichloromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromoform	ND	10	50.0	ug/Kg	09/09/10 NZ
Bromomethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Carbon tetrachloride	ND	10	50.0	ug/Kg	09/09/10 NZ
Chlorobenzene	ND	10	50.0	ug/Kg	09/09/10 NZ

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

**ASSOCIATED LABORATORIES**

Analytical Results Report

Order #: 1109191

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Latex International Talalay Latex

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
Chloroethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Chloroform	ND	10	50.0	ug/Kg	09/09/10 NZ
Chloromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
cis-1,2-Dichloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
cis-1,3-Dichloropropene	ND	10	50.0	ug/Kg	09/09/10 NZ
cis-1,4-Dichloro-2-butene	ND	10	50.0	ug/Kg	09/09/10 NZ
Dibromochloromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Dibromomethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Dichlorodifluoromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Ethyl benzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Hexachlorobutadiene	ND	10	50.0	ug/Kg	09/09/10 NZ
Isopropylbenzene (Cumene)	ND	10	50.0	ug/Kg	09/09/10 NZ
m and p-Xylene	ND	10	50.0	ug/Kg	09/09/10 NZ
Methyl-tert-butylether (MTBE)	ND	10	50.0	ug/Kg	09/09/10 NZ
Methylene chloride	ND	10	50.0	ug/Kg	09/09/10 NZ
n-Butylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
n-Propylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Naphthalene	ND	10	50.0	ug/Kg	09/09/10 NZ
o-Xylene	ND	10	50.0	ug/Kg	09/09/10 NZ
p-Isopropyltoluene	ND	10	50.0	ug/Kg	09/09/10 NZ
sec-Butylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Styrene	ND	10	50.0	ug/Kg	09/09/10 NZ
tert-Butylbenzene	ND	10	50.0	ug/Kg	09/09/10 NZ
Tetrachloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
Toluene	ND	10	50.0	ug/Kg	09/09/10 NZ
trans-1,2-Dichloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
trans-1,3-Dichloropropene	ND	10	50.0	ug/Kg	09/09/10 NZ
trans-1,4-Dichloro-2-butene	ND	10	50.0	ug/Kg	09/09/10 NZ
Trichloroethene	ND	10	50.0	ug/Kg	09/09/10 NZ
Trichlorofluoromethane	ND	10	50.0	ug/Kg	09/09/10 NZ
Vinyl chloride	ND	10	50.0	ug/Kg	09/09/10 NZ
Xylenes, total	ND	10	50.0	ug/Kg	09/09/10 NZ
Di-isopropyl ether (DIPE)	ND	10	20.0	ug/Kg	09/09/10 NZ
Ethyl-tertbutylether (ETBE)	ND	10	20.0	ug/Kg	09/09/10 NZ
Tert-amylmethylether (TAME)	ND	10	20.0	ug/Kg	09/09/10 NZ
Tertiary butyl alcohol (TBA)	ND	10	100.0	ug/Kg	09/09/10 NZ

Surrogates

Surrogate	Result	Units	Control Limits
Surr1 - Dibromofluoromethane	133	%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit. DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1109191

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Latex International Talalay Latex

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
Surr2 - 1,2-Dichloroethane-d4	155*			%	70 - 135
Surr3 - Toluene-d8	127			%	70 - 135
Surr4 - p-Bromofluorobenzene	146*			%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1109192

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

8260B Volatile Organic Compounds

1,1,1,2-Tetrachloroethane	ND	1	5	ug/Kg	09/09/10	NZ
1,1,1-Trichloroethane	ND	1	5	ug/Kg	09/09/10	NZ
1,1,2,2-Tetrachloroethane	ND	1	5	ug/Kg	09/09/10	NZ
1,1,2-Trichloroethane	ND	1	5	ug/Kg	09/09/10	NZ
1,1,2-Trichlorotrifluoroethane	ND	1	5	ug/Kg	09/09/10	NZ
1,1-Dichloroethane	ND	1	5	ug/Kg	09/09/10	NZ
1,1-Dichloroethene	ND	1	5	ug/Kg	09/09/10	NZ
1,1-Dichloropropene	ND	1	5	ug/Kg	09/09/10	NZ
1,2,3-Trichlorobenzene	ND	1	5	ug/Kg	09/09/10	NZ
1,2,3-Trichloropropane	ND	1	5	ug/Kg	09/09/10	NZ
1,2,4-Trichlorobenzene	ND	1	5	ug/Kg	09/09/10	NZ
1,2,4-Trimethylbenzene	ND	1	5	ug/Kg	09/09/10	NZ
1,2-Dibromo-3-chloropropane	ND	1	5	ug/Kg	09/09/10	NZ
1,2-Dibromoethane	ND	1	5	ug/Kg	09/09/10	NZ
1,2-Dichlorobenzene	ND	1	5	ug/Kg	09/09/10	NZ
1,2-Dichloroethane	ND	1	5	ug/Kg	09/09/10	NZ
1,2-Dichloropropane	ND	1	5	ug/Kg	09/09/10	NZ
1,3,5-Trimethylbenzene	ND	1	5	ug/Kg	09/09/10	NZ
1,3-Dichlorobenzene	ND	1	5	ug/Kg	09/09/10	NZ
1,3-Dichloropropane	ND	1	5	ug/Kg	09/09/10	NZ
1,4-Dichlorobenzene	ND	1	5	ug/Kg	09/09/10	NZ
2,2-Dichloropropane	ND	1	5	ug/Kg	09/09/10	NZ
2-Butanone (MEK)	ND	1	100	ug/Kg	09/09/10	NZ
2-Chloroethyl vinyl ether	ND	1	5	ug/Kg	09/09/10	NZ
2-Chlorotoluene	ND	1	5	ug/Kg	09/09/10	NZ
4-Chlorotoluene	ND	1	5	ug/Kg	09/09/10	NZ
4-Methyl -2- Pentanone (MIBK)	ND	1	5	ug/Kg	09/09/10	NZ
Acetone	ND	1	50	ug/Kg	09/09/10	NZ
Allyl chloride	ND	1	5	ug/Kg	09/09/10	NZ
Benzene	ND	1	5	ug/Kg	09/09/10	NZ
Bromobenzene	ND	1	5	ug/Kg	09/09/10	NZ
Bromochloromethane	ND	1	5	ug/Kg	09/09/10	NZ
Bromodichloromethane	ND	1	5	ug/Kg	09/09/10	NZ
Bromoform	ND	1	5	ug/Kg	09/09/10	NZ
Bromomethane	ND	1	5	ug/Kg	09/09/10	NZ
Carbon tetrachloride	ND	1	5	ug/Kg	09/09/10	NZ
Chlorobenzene	ND	1	5	ug/Kg	09/09/10	NZ

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1109192

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
Chloroethane	ND	1	5	ug/Kg	09/09/10 NZ
Chloroform	ND	1	5	ug/Kg	09/09/10 NZ
Chloromethane	ND	1	5	ug/Kg	09/09/10 NZ
cis-1,2-Dichloroethene	ND	1	5	ug/Kg	09/09/10 NZ
cis-1,3-Dichloropropene	ND	1	5	ug/Kg	09/09/10 NZ
cis-1,4-Dichloro-2-butene	ND	1	5	ug/Kg	09/09/10 NZ
Dibromochloromethane	ND	1	5	ug/Kg	09/09/10 NZ
Dibromomethane	ND	1	5	ug/Kg	09/09/10 NZ
Dichlorodifluoromethane	ND	1	5	ug/Kg	09/09/10 NZ
Ethyl benzene	ND	1	5	ug/Kg	09/09/10 NZ
Hexachlorobutadiene	ND	1	5	ug/Kg	09/09/10 NZ
Isopropylbenzene (Cumene)	ND	1	5	ug/Kg	09/09/10 NZ
m and p-Xylene	ND	1	5	ug/Kg	09/09/10 NZ
Methyl-tert-butylether (MTBE)	ND	1	5	ug/Kg	09/09/10 NZ
Methylene chloride	ND	1	5	ug/Kg	09/09/10 NZ
n-Butylbenzene	ND	1	5	ug/Kg	09/09/10 NZ
n-Propylbenzene	ND	1	5	ug/Kg	09/09/10 NZ
Naphthalene	ND	1	5	ug/Kg	09/09/10 NZ
o-Xylene	ND	1	5	ug/Kg	09/09/10 NZ
p-Isopropyltoluene	ND	1	5	ug/Kg	09/09/10 NZ
sec-Butylbenzene	ND	1	5	ug/Kg	09/09/10 NZ
Styrene	ND	1	5	ug/Kg	09/09/10 NZ
tert-Butylbenzene	ND	1	5	ug/Kg	09/09/10 NZ
Tetrachloroethene	ND	1	5	ug/Kg	09/09/10 NZ
Toluene	ND	1	5	ug/Kg	09/09/10 NZ
trans-1,2-Dichloroethene	ND	1	5	ug/Kg	09/09/10 NZ
trans-1,3-Dichloropropene	ND	1	5	ug/Kg	09/09/10 NZ
trans-1,4-Dichloro-2-butene	ND	1	5	ug/Kg	09/09/10 NZ
Trichloroethene	ND	1	5	ug/Kg	09/09/10 NZ
Trichlorofluoromethane	ND	1	5	ug/Kg	09/09/10 NZ
Vinyl chloride	ND	1	5	ug/Kg	09/09/10 NZ
Xylenes, total	ND	1	5	ug/Kg	09/09/10 NZ
Di-isopropyl ether (DIPE)	ND	1	2.0	ug/Kg	09/09/10 NZ
Ethyl-tertbutylether (ETBE)	ND	1	2.0	ug/Kg	09/09/10 NZ
Tert-amylmethylether (TAME)	ND	1	2.0	ug/Kg	09/09/10 NZ
Tertiary butyl alcohol (TBA)	ND	1	10	ug/Kg	09/09/10 NZ
Surrogates				Units	Control Limits
Surr1 - Dibromofluoromethane	101			%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report



Order #: 1109192

Client: Savvy Rest

Matrix: SOLID

Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
Surr2 - 1,2-Dichloroethane-d4	101			%	70 - 135
Surr3 - Toluene-d8	100			%	70 - 135
Surr4 - p-Bromofluorobenzene	107			%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES

Analytical Results Report

